

# Software Product Description

PRODUCT NAME: RWZ21 DRIVER-AM DOS, Version 1.0

SPD 48.15.00

## DESCRIPTION

The driver for the RWZ21 3.5-inch Magneto-Optical (MO) disk has been developed by UNITEX® Corporation for Digital Equipment Corporation.

The driver for RWZ21 has been developed to support IBM® super floppy format for DECpc users. It includes the device driver and the format utilities.

Support for the RWZ21 will be provided for the DECpc by a choice of the following formats:

- IBM Super Floppy Format  
Works as an MO disk. Removable. One partition. Compatible with other systems that support the IBM super floppy format. Available on DOS V5.0.

If the RWZ21 is used in IBM-compatible format, this product is required in addition to the ADAPTEC® SCSI controller. Do not use the PC4XR-CC SCSI controller with this product, since PC4XR-CC does not include ASPI™ driver. The available SCSI controllers to date are: PCTAZ-AA, PCTAZ-AB, PCTAZ-AD, and PSXAZ-AA.

- ADAPTEC Format  
No compatibility with other systems. Digital provides ADAPTEC SCSI controllers and drivers (P/N PCTAZ-AA, -AB, -AD, and PSXAZ-AA) for DECpc users to connect SCSI devices. Customers who would like to connect any SCSI devices to DECpc must buy an ADAPTEC SCSI controller since DECpc has no SCSI port by nature. The RWZ21 works with ADAPTEC controller and driver (without UNITEX software) as a hard disk, however we do not recommend also usage since the format may not be compatible with other systems. (A hard disk usage has a capability to be divided into several partitions. A super floppy format provides only one partition to keep compatibility.)

NOTE: The ADAPTEC format does not need this software. VAXstations, DECstations, and InfoServer does not need any additional software to connect the RWZ21.

## INSTALLATION

See *Installation Guide* (P/N AA-PVVRA-TE) provided with the product for details.

## HARDWARE REQUIREMENTS

Processor and/or hardware configurations as specified in the System Support Addendum (SSA 48.15.00-x).

## SOFTWARE REQUIREMENTS

The required minimum level of operating systems are:

- MS-DOS® Version 5.0  
or
- IBM-DOS® Version J5.0/V

The ADAPTEC driver, ASPI2DOS.SYS or ASPI4DOS.SYS, to be provided with the ADAPTEC SCSI adaptor is prerequisite.

## ORDERING INFORMATION

Media, Documentation with Shrinkwrap License:  
QB-0HYAA-SB

The product does not include source code. Source code is not available for the user.

## SOFTWARE LICENSING

This software is furnished under the licensing provisions of Digital Equipment Corporation's Standard Terms and Conditions. For more information about Digital's licensing terms and policies, contact your local Digital office.

### *Binary Licenses*

A Binary License to use this software is included in this product. This license gives users the right-to-use the binary software and the right-to-copy on any DECpc.

*Source Licenses*

A Source License is not included in this product. The Source Kit is not available.

**SOFTWARE PRODUCT SERVICES**

A variety of service options are available from Digital. For more information, contact your local Digital office.

**SOFTWARE WARRANTY**

Warranty is not included in this product.

® ADAPTEC is a registered trademark of ADAPTEC Inc.

® IBM and IBM-DOS are registered trademarks of International Business Machines Corporation.

® MS-DOS is a registered trademark of Microsoft Corporation.

® UNITEX is a registered trademark of UNITEX Corporation.

™ ASPI is a trademark of ADAPTEC Inc.

™ The DIGITAL Logo, DECpc, DECstation, Digital, RX, and VAXstation are trademarks of Digital Equipment Corporation.

# System Support Addendum

PRODUCT NAME: RWZ21 DRIVER-AM DOS, Version 1.0

SSA 48.15.00-A

## HARDWARE REQUIREMENTS

### *Processors Supported*

This product is supported on the systems listed below.

DECpc with one of the the following SCSI adaptor:

- PCTAZ-AA
- PCTAZ-AB
- PCTAZ-AD
- PSXAZ-AA

The target drive is RWZ21.

### *Processors Not Supported*

DECpc with the following SCSI adaptor: PC4XR-CC

### *Disk Space Requirements*

Disk space required for installation: 100 Kbytes

Disk space required for use (permanent): 90 Kbytes

## SOFTWARE REQUIREMENTS

The required minimum level of operating systems are:

- MS-DOS® Version 5.0  
or
- IBM-DOS® Version J5.0/V

The ADAPTEC™ driver, ASPI2DOS.SYS or ASPI4DOS.SYS, to be provided with the ADAPTEC SCSI adaptor is pre-requisite.

## GROWTH CONSIDERATIONS

The minimum hardware/software requirements for any future version of this product may be different from the requirements for the current version.

## DISTRIBUTION MEDIA

RX24K Floppy Disk

## ORDERING INFORMATION

Media, Documentation with Shrinkwrap License:  
QB-0HYAA-SB

The product does not include source code. Source code is not available for the user.

The above information is valid at time of release. Please contact your local Digital office for the most up-to-date information.

- ® ADAPTEC is a registered trademark of ADAPTEC Inc.
- ® IBM and IBM-DOS are registered trademarks of International Business Machines Corporation.
- ® MS-DOS is a registered trademark of Microsoft Corporation.
- ® UNITEX is a registered trademark of UNITEX Corporation.
- ™ ASPI is a trademark of ADAPTEC Inc.
- ™ The DIGITAL Logo, DECpc, DECstation, Digital, RX, and VAXstation are trademarks of Digital Equipment Corporation.